



PIPE GRID SUSPENDED FROM CEILING WITH 1/2" THREADED ROD TYP.

1'-6" TOP OF GRID

4'-1"

**SECTION A-A : BLACK BOX THEATER**

**NOTES**

- 1) ALL CONDUITS, HVAC DUCTS, PIPE, ETC SHALL BE MOUNTED NO LOWER THAN 13'-0" AFF. IT SHALL BE THE RESPONSIBILITY OF THE ORIGINAL INSTALLING CONTRACTOR TO MAKE ALL CORRECTIONS NECESSARY FOR ANY EQUIPMENT THAT INTERFERES WITH THE DESIGN OR PERFORMANCE INTENT OF THE BLACK BOX THEATER OR RECITAL HALL. THE COST OF ALL CORRECTIONS SHALL BE BORNE BY THE ORIGINAL INSTALLATION CONTRACTOR.
- 2) RIGGING CONTRACTOR SHALL LOCATE AND MARK ALL MOUNTING POINTS FOR THEATRICAL LIGHTING GRID IN BLACK BOX AND RECITAL HALL. ALL WORK BY OTHER CONTRACTOR SHALL LEAVE GRID MOUNTING POINTS CLEAR AND ACCESSIBLE.

REV.	DESCRIPTION	DATE
2	REVISED PIPE GRID	2/04/02
1	REVISED PIPE GRID	1/24/02

**LVH** entertainment  
SYSTEMS  
300 IRVING DRIVE  
OXNARD, CA 93030

PHONE: 805 278-4884 FAX: 805 278-7209

Project Name and Address  
**CITY OF THOUSAND OAKS**  
401 HILLCREST DRIVE  
THOUSAND OAKS CA, 91362  
**BLACK BOX THEATRE**

Drawn By H. SWEET	Sheet <b>TR5</b>
Date 12/4/01	
Scale 1/4" = 1'-0"	

**SHEET TR4 NOT USED**